



वेसीशहर नगरपालिका

नगर कार्यपालिकाको कार्यालय

योजना शाखा

वेसीशहर, लमजुङ
गण्डकी प्रदेश, नेपाल

Website: besishaharmun.gov.np
Email: info@besishaharmun.gov.np
eo@besishaharmun.gov.np



प.सं. ०७७/०७८
च. नं.

फ्याक्स नं. ०६६-५२०२०४
फोन नं. ०६६-५२०१५०

क्याटलग सपिड विधिबाट शव बाहन खरिद सम्बन्धि सूचना !

प्रथम पटक प्रकासित मिति २०७७/०९/१७

वेसीशहर नगरपालिकाको चालु आ. व. २०७७/०७८ को स्वीकृत वार्षिक कार्यक्रम अनुसार जिल्ला अस्पताललाई हस्तान्तरण गर्ने गरी शव बाहन खरिद गर्नु पर्ने भएको हुँदा सार्वजनिक खरिद नियमावली २०६४ (संशोधन सहित) को नियम ३१ (ख) मा व्यवस्था भएको उत्पादक वा अधिकृत विक्रेताद्वारा निर्धारित दरमा (क्याटलग सपिड) विधिबाट गरिने खरिदको कार्यविधि अनुसार शव वाहन खरिद गर्ने निर्णय भएकोले नियमानुसार प्रक्रिया पुरा गरेका इच्छुक उत्पादक वा अधिकृत विक्रेताहरूले यो सूचना प्रकाशित भएको मितिले १५ औं दिन भित्र कार्यालय समयमा (उक्त दिन विदा परेमा सोको भोलिपल्ट) तपशिलमा उल्लेखित कागजातहरू संलग्न राखी शिलबन्दी निवेदन पेश गर्नुहुन सूचित गरिन्छ । म्याद नाघी आएका निवेदन उपर कार्यवाही हुनेछैन । प्राविधिक स्पेशिफिकेशन कार्यालयको खरिद इकाई तथा कार्यालयको वेबसाइटबाट प्राप्त गर्न सकिनेछ ।

सिलबन्दी पेश गर्दा पेश गर्नुपर्ने कागजातहरू

१. कम्पनी दर्ता र नविकरणको प्रमाणित प्रतिलिपी
२. मू. अ. क. दर्ता प्रमाणपत्र
३. करचुक्ता प्रमाणपत्र
४. उत्पादक कम्पनीबाट तयार भएका आधिकारिक स्पेशिफिकेशन
५. गुणस्तर, मूल्य, र सुविधा सहितको विवरण (क्याटलग वा ब्रोसर)

Om
०६/१५/१७
पुष्पराज पौडेल
प्रमुख प्रशासकीय अधिकृत

Technical Specification


Hard Top 4WD Mortuary Vehicle(Death Body Carrier)

Unit- 1

S.N.	CRITERIA	REQUIREMENTS	
1	General	Three door Right Hand Drive 4WD diesel engine Jeep Type Vehicle suitable to operate in rough and hilly road condition of Nepal with operating conditions and have seating capacity First Row 1+1 including driver, 1 Dead Body (in lying condition) .	Make Model Year
2	Engine	Four strokes, displacement of the engine 2500-2600 cc not less than, 45.0 KW@3100 rpm .	
3	Emission Standard	The Emission Standard of the Vehicle should be capable of meeting applicable Nepal Vehicle Mass emission standard which is to be certified by department of transport management, Nepal .	
4	Gauges	Speedometer, Water Temperature, Fuel, Oil Pressure etc. as necessary for the efficient operation and maintenance	
	Ground Clearance	Minimum 190mm	
5	Clutch	Dry, Single plate	
6	Transmission	Manual shift at least five forward and one reverse, all forward synchromesh	
7	Tyre Size	Standard	
8	Suspension & Brakes	Suspension Front & Rear: Semi elliptical leaf springs, telescopic double acting Hydraulic Shock Absorber Brakes Front: Disc/Drum Brakes Rear: Disc/ Drum	
9	Steering	Power steering	
11	Fuel Tank Capacity	Min. 60 Ltrs	
12	Cab	2 side door and 1 back door, all metallic cab with insulated roof, laminated/tinted glass wind screen washers and wiper	
13	Chassis and Frame	Steel, heavy duty suitable for rough road conditions	

Bolin Mishra

MECHANICAL ENGINEER



14	Essential Accessories	The vehicle should be equipped with: <ul style="list-style-type: none"> • Standard wash basin • Oxygen Cylinder Holder • Revolving Light • 1 spare wheel • Siren holder. • Storage space for medicines 	
15	Instruction	All signs and instruction in the vehicle shall be in English	
16	Manuals	One copy of the operators and owners instruction maintenance manual in English	
17	Tools	A set of tools for general maintenance shall be supplied with a lockable tool box.	
18	Color	white	
19	Warranty	One year warranty or 20,000 Kms. (Death Body Carrier)	
20	Delivery	The Hard Top 4WD Mortuary Vehicle (Death Body Carrier) 1 unit shall be delivered to : Besishahar Municipality , Besishahar, Lamjung.	

Note :

The major items are indicated by bold and highlighted letter alphabets figures in the technical specifications, Non-compliance of these major items will result in non-responsiveness of the bid offered.

Prepared By:

Signature :

Arjun Mishra

MECHANICAL ENGINEER

Name: Arjun Mishra

Designation : Mechanical Engineer

Office : Mechanical Office, Dumre

